

Dry Bean Tillage



on-farm network
PARTICIPATORY • PRECISE • PROACTIVE

Is reducing tillage a viable option for your dry bean production? Find out!

Suggested Treatments*

- 1) Reduced tillage
- 2) Conventional/normal tillage

*Flexible for what best suits the farm

Trial Design

- Follow a randomized layout
- Minimum four replicates
- Strips need to be at least as wide as one combine pass
- Strips should run the length of the field, excluding the headlands

Your Fields, Your Results

- Established with your equipment
- Under your management practices
- Harvested with your equipment
- MPSG support at establishment & harvest
- MPSG collects data throughout the season
- Results packaged together for you in a short report
- Must be a member in good standing

Headland

| | | | | | | | | | | | |
|---------|--------------|---------|--------------|--------------|---------|--------------|---------|---------|--------------|---------|--------------|
| Reduced | Conventional | Reduced | Conventional | Conventional | Reduced | Conventional | Reduced | Reduced | Conventional | Reduced | Conventional |
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 |

Headland

Interested in strip-till? Direct seeding?

Let us know!

Decision Making, Simplified
Your trial includes:

- ✓ Plant stand data
- ✓ Seedling vigour observations
- ✓ Yield results

Your data, working for your farm

MANITOBA
Pulse Soybean
GROWERS

To participate in the trials, contact

Megan Bourns • 204.751.0439 • megan@manitobapulse.ca

or sign up at manitobapulse.ca/on-farm-network